



**Parhelia B.V.** www.parheliabv.com (1)+31(0)10 741 00 28

# **Darveen RTC-I116 Introduction**



www.darveen.com

#### Slim Design with Robust Features in a Rugged Package

#### **Darveen RTC-I116**

#### 11.6" Windows Rugged Tablet with 12th gen Intel® Core™ i7/i5 processor



### **Slim and Elegant Design**

With a thickness of just **20 mm (0.79")**, the RTC-I116 is **slim and lightweight**, making it one of the most compact fully functional 11.6" tablets.



→ ← Slim and Modern Design → ↓ ← Just 20mm thick, 15%-30% thinner than comparable products

Easy to Use Function keys give greater control over the tablet


#### Ergonomic Design



Curved back ensures a secure grip, even on an 11.6-inch tablet

#### **Industry Leading Computing Power**

The RTC-I116 features Intel<sup>®</sup> 12th Generation processors and Intel<sup>®</sup> Iris<sup>®</sup> Xe graphics, providing exceptional performance and visuals.



## **Stunning Visual Performance**

- 11.6-inch TFT screen with 1920 x 1080 FHD resolution for a larger operating interface
- 1,000 nits sunlight-readable screen with full lamination and AF (Anti-Fingerprint) technology to effectively reduce glare and fingerprints
- Industrial-grade multi-touch supports input with rain, gloves, or an active stylus



### **Detailed Design for Better Productivity**



Ŷ

P

4

Dual Cameras

5MP front and 12MP rear cameras for high-resolution imaging

Superior Audio High-power dual speakers and

High-power dual speakers and noise-canceling microphones ensure clear voice communication

Function Keys

8 function keys, including power, volume, Windows, and 4 customizable keys (P1-P4)

**Extended Battery Life** 

Dual batteries provide power for the entire shift



## 24/7 Connectivity

Equipped with the latest communication technology, the RTC-I116 allows for real-time communication between the field and the office.



#### WLAN

Wi-Fi 6E provides speeds up to 9.6 Gbps, 3x faster than the previous generation

#### **WWAN**

Supports up to CAT12 Gigabit 4G with global frequency bands. Optional 5G available

#### Bluetooth

Bluetooth 5.3 offers 2 Mbps speed, 2x faster than the previous, with a 36 m communication range, 4x greater

#### GNSS

Supports GPS, GLONASS, Galileo, and BeiDou. Upgradable to dual-band L1 and L5 for enhanced precision

## **Robust Suite of I/O**

Provides up to 8 I/O ports to accommodate a wide range of application requirements:


- 1 x USB Type-C
- 2 x USB 3.0
- 2 x Serial Ports
- 1 x GigaLAN
- 1 x Mini HDMI
- 1 x Audio jack
- 1 x Docking Connector

USB Type-C Mini HDMI Audio Combo Jack USB 3.0



### **Versatile Data Capture via Expansion Slots**

The RTC-I116 provides a variety of **add-on data capture modules**, offering multiple methods to retrieve and transmit information while on the go.



### **Advanced Security Authentication**

Provides multiple **fast and secure authentication options** for user identification, along with enhanced **data security protection**.



### **Hot-Swappable Dual Batteries**

The unique **high-capacity 58Wh hot-swappable dual-battery design** allows for uninterrupted power and continuous usage. Supports Type-C port 65W/90W fast charging.



#### **RTC-I116 Power Draws**

Usage Mode	Light	Moderate	Heavy
Battery Life	8 hrs	5 hrs	3 hrs

<sup>1</sup> Above shows dual battery runtime

<sup>2</sup> One battery charges in 2.5 hours (65W charger, standby mode) and runs up to 6 hours

### **Rugged and Durable Design**

- High-strength industrial plastic casing with an aluminum-magnesium alloy frame for full protection
- IP66 and MIL-STD-810H certified, resistant to water, dust, and vibration
- Operates in temperatures from -20°C to 60°C (-4°F to 140°F) and withstands 4-foot (1.2m) drops



### **Vertical Targets of RTC-I116**



Manufacturing

- Inventory management
- Quality control
- Equipment monitoring
- Production tracking
- Data collection
- Workflow management
- Safety inspections



**Field Mobility** 

Work Order Management

Data Collection

Asset Tracking

Inspections and

Mobile Point of Sale

Reporting

GPS and Mapping

#### **Public Safety**

- Emergency Response
- Incident Reporting
- Navigation and Dispatch
- Data Access
- Evidence Collection
- Real-Time Monitoring



#### **Utilities & Energy**

- Equipment Inspections
- Work Order Management
- Asset Tracking
- GIS Mapping
- Maintenance and Repairs
- Remote Monitoring
- Safety Checks

# Manufacturing

The rugged design, with **MIL-STD-810H vibration resistance and 4ft/1.2m drop protection**, allows for use in any industrial site and production line.

Utilize wireless connectivity to monitor production status in real-time and perform remote diagnostics and maintenance

1D/2D barcode reader and RFID reader for inventory data collection

# Field Mobility

Equipped with up to 8 I/O interfaces including Ethernet, USB, and COM ports for efficient connection to field devices

Offers stable LTE/5G and Wi-Fi 6E for seamless communication and data synchronization in the field

The **12MP high-resolution camera** helps document on-site conditions

## Public Safety

With **IP66 and MIL-STD-810H ratings**, the rugged design is suitable for complex work environments

The **vehicle docking station** allows easy switching between vehicle and mobile use

Supports LTE/5G and GNSS for data transfer, precise navigation, and location tracking

### **Utilities & Energy**

Stable LTE/5G, Wi-Fi 6E, and GPS enable remote monitoring of oil rig and routes of inspection personnel

**Dual hot-swappable batteries** support long-term remote use

**1,000 nits high-brightness screen** for easy readability in sunlight

**Reliable operation** in hazardous environments, ensuring worker safety

### Comparison

	Darveen RTC-I116	ONERugged EM-I20A	Winmate M116TG	Durabook R11	MSI NF21
CPU / RAM/ Storage	i7-1255U / i5-1235U 16G DDR5 + 256G SSD	i7-1255U / i5-1235U 16G DDR4 + 128G SSD	I5-1135G7 8G DDR4 + 128G SSD	i7-1255U / i5-1235U 8G DDR5 + 256G SSD	i7-7500U / i5-7200U 8G DDR4 + 128G SSD
Display	11.6", 1920*1080, <mark>1000nits</mark> Glove / rain / stylus	12.2", 1200*1920, 650nits	11.6", 1920*1080, 800nits Glove / rain / stylus	11.6", 1920*1080, <mark>1000nits</mark> Glove / rain / stylus	12.2", 1200*1920, 800nits
Battery	<mark>58.5Wh</mark> 65W/ <mark>90W</mark> charger	51.8Wh 65W charger	51.8Wh 65W charger	43.8Wh 65W charger	47.1Wh <mark>120W</mark> charger
Wireless Connectivity	Wi-Fi 6E, BT5.3, GNSS, LTE, 5G	Wi-Fi 6E, BT5.3, GNSS, LTE	Wi-Fi 5, BT4, GNSS, LTE, 5G	Wi-Fi 6E, BT5.3, LTE, GNSS	Wi-Fi 5, BT4, GNSS
I/O Ports	USB3.0 x2, RJ45 x1, RS232 x1, <mark>RS232/422/485 x1</mark>	USB3.0 x1, RJ45 x1, RS232 x1	USB3.0 x1, RJ45 x1, RS232 x1	USB3.2 x1, RJ45 x1, RS232 x1	USB3.0 x1, RJ45 x1
Expansion	2D barcode reader, NFC, UHF RFID, fingerprint, smart card	2D barcode reader, NFC, fingerprint	2D barcode reader, NFC	2D barcode reader, NFC, UHF RFID, smart card	2D barcode reader, fingerprint
Camera	5MP + 12MP	2MP + 8MP	2MP + 8MP	2MP + 8MP	2MP + 8MP
Ruggedness	IP66, MIL-STD-810H	IP65, MIL-STD-810H	IP65, MIL-STD-810H, MIL-STD-461G	IP66, MIL-STD-810H, MIL-STD-461F, ANSI	IP65, MIL-STD-810H

#### Rugged Industrial Systems

### **Ordering Information**

Model Name	Partner No.	Description
RTC-I116	RTC-I116-A1000C	Core i5-1235U, 1920x1080@1000nits, 16GB+256GB, WiFi, Bluetooth, 4G (CN), GPS, 5MP+12MP, 58Wh Battery, Fingerprint
RTC-I116	RTC-I116-A1000E	Core i5-1235U, 1920x1080@1000nits, 16GB+256GB, WiFi, Bluetooth, 4G (EU), GPS, 5MP+12MP, 58Wh Battery, Fingerprint
RTC-I116	RTC-I116-B1000C	Core i7-1255U, 1920x1080@1000nits, 16GB+256GB, WiFi, Bluetooth, 4G (CN), GPS, 5MP+12MP, 58Wh Battery, Fingerprint
RTC-I116	RTC-I116-B1000E	Core i7-1255U, 1920x1080@1000nits, 16GB+256GB, WiFi, Bluetooth, 4G (EU), GPS, 5MP+12MP, 58Wh Battery, Fingerprint
RTC-I116	RTC-I116-A1200E	Core i5-1235U, 1920x1080@1000nits, 16GB+256GB, WiFi, Bluetooth, 4G (EU), GPS, 5MP+12MP, 58Wh Battery, Fingerprint, 2D Barcode



#### **Accessories - Standard**







Battery (3,800mAh 7.7V) BT3800-2S Power Adapter GTR65C-1

USB cable UCC5A

### **Accessories - Optional**



Office Dock OD200



Vehicle Dock VD200



Battery Charger BC2U



Hand Strap HS11



Shoulder Strap SS18

**Stylus** Stylus01



22 DARVEEN



**Parhelia B.V.** www.parheliabv.com (1)+31(0)10 741 00 28

www.darveen.com